

www.cykf.com.tw

ADVANCED DESIGN AND ENGINEERING CONCEPT!



誠玉開發機械廠股份有限公司
CYKF CO., LTD.

台南市72261佳里區萊苳寮12之26號(佳里工業區)
No.12-26, Laiganliao, Jiali Dist., Tainan City 72261, Taiwan
TEL: +886-6-7266668 FAX: +886-6-7266658
E-mail : cykf@cykf.com.tw
www.cykf.com.tw



ACW 2018.06.1000CE



誠信精實 · 品質如玉

CYKF創立於1999年，我們的顧客來自全球世界各地不同類別的業者，其中包含汽車業，建築業，家電業，電子業、食品業、文具業、玩具業、化工業、醫療用品業，包裝業....等。

CYKF取得ISO-9001，與CE認證。**誠信、品質**，一直是我們的座右銘。所以研發更積極，設計更完善，製程更嚴謹，品質更確實。每套設備都經過實際的運轉調校與檢測，確保最佳的品質、最高的生產效率，做到誠信及品質要求的一貫原則。我們更提供給顧客**信任、迅速、完善、負責**的服務，一直優化我們在市場上的定位。

CYKF自2005年，即全力投入押出系統自動化的研發、設計、整合與製造。使得機械設備使用壽命長、操作簡單容易、節省人力、節省能源、確保生產的品質，真正有效降低生產成本。目前在PVC製粒系統的自動化、複合材料製粒系統的自動化、塑料回收製粒系統的自動化，管材、片材、異型材，押出產線的自動化，都有非常完善豐富的實績與經驗。


CYKF押出機已銷售到全球眾多國家，獲得使用業者的信任、肯定與好評。今後CYKF這個團隊更將兢兢業業的面對未來更多更新的技術和挑戰，整合行銷、研發、設計、製造、整廠輸出...等資源，即時提供全球客戶全方位之客製化服務。

CYKF was established in 1999. Our customers are from different industries around the world, including automobile industry, construction industry, appliance industry, electronics industry, food industry, stationery industry, toy industry, chemical industry, medical products industry, packaging industry...etc.

CYKF is certified ISO-9001 and CE mark.

Integrity and Quality are always our top guidelines. Therefore, we are more active on research and development, perfect design, strict in process and fulfillment of quality control.

In order to fulfill our faith of integrity and quality, we ensure that every equipment must be passed by practical running test and adjustment to guarantee the best quality and productivity. We provide reliable, fast, complete and responsible service to customers. We have been optimizing our position in the market.



Since 2005, CYKF has devoted in automatic system of extrusion lines in research and development, design, manufacture and integration. In this way, it can reduce the productive cost efficiently by longer life of the equipment, simple operation, human resource cost saving, energy cost saving and assurance of productive quality. Now we have plentiful sales performance and experienced in automatic system of pelletizing for PVC, compounding and plastic recycling, and automatic system of extrusion lines for pipe and profile.

CYKF not only has sold many extrusion lines to many countries around the world, but also receives trust and praise from users. From now on, the team of CYKF will carefully face more and more new technology and challenge. To provide the comprehensive customized service to world-wide customers immediately, we will integrate the resource of marketing, research and development, design, manufacture and complete plant project in the near future.

我們的目標是成為世界公認的優良押出機設備製造商，希望有更多的機會為大家服務，只有**客戶的滿意才是我們的滿意**。

Our goal is to become acknowledged excellent manufacturer of extrusion lines around the world. It's our honor to have more opportunities to offer you our professional technology and experiences. We are only satisfied with customers' satisfaction.



Our Confidence.



05 - 06 ▶ PVC雙螺桿自動計量秤重輸送生產製粒系統
PVC TWIN SCREW AUTOMATIC METERING WEIGHING AND
CONVEYING PELLETIZING COMPOUNDING LINE

07 - 08 ▶ PVC雙螺桿製粒生產系統
PVC TWIN SCREW PELLETIZING COMPOUNDING SYSTEM

09 - 10 ▶ 醫療級PVC製粒系統
MEDICAL PVC COMPOUNDING SYSTEM

11 - 12 ▶ 塑料清洗回收生產設備
RECYCLING & WASHING LINE

13 - 14 ▶ 雙段式回收製粒機
DOUBLE SECTION RECYCLING PELLETIZING EXTRUDER

15 - 16 ▶ 側擠壓回收製粒系統
SIDE FORCE FEEDER TYPE RECYCLING PELLETIZING SYSTEM

17 - 18 ▶ 側粉碎回收製粒系統
SIDE SHREDDING TYPE RECYCLING PELLETIZING SYSTEM

19 - 20 ▶ 同向雙螺桿拉條切粒製粒系統
CO-ROTATING TWIN SCREW STRAND CUTTING TYPE
PELLETIZING COMPOUNDING LINE

21 - 22 ▶ 同向雙螺桿水中切粒製粒系統
CO-ROTATING TWIN SCREW UNDERWATER CUTTING
TYPE PELLETIZING COMPOUNDING SYSTEM

23 - 24 ▶ 同向雙螺桿自動計量秤重輸送生產製粒系統
CO-ROTATING TWIN SCREW AUTOMATIC
METERING WEIGHING AND CONVEYING
PELLETIZING COMPOUNDING LINE

25 - 26 ▶ HS系列 單螺桿製粒機
HS SERIES SINGLE SCREW PELLETIZING
COMPOUNDING EXTRUDER

27 - 28 ▶ DHS系列 高產能單螺桿製粒機
DHS SERIES HIGH OUTPUT SINGLE SCREW
PELLETIZING COMPOUNDING EXTRUDER

29 - 30 ▶ 單螺桿水中切粒製粒系統
SINGLE SCREW UNDERWATER CUTTING TYPE
PELLETIZING COMPOUNDING LINE

31 - 32 ▶ 實驗用多功能同向雙螺桿製粒系統
MULTI-FUNCTION LABORATORY CO-ROTATING TWIN
SCREW PELLETIZING COMPOUNDING SYSTEM

33 - 34 ▶ 實驗用同向雙螺桿製粒系統
LABORATORY CO-ROTATING TWIN SCREW PELLETIZING
COMPOUNDING SYSTEM

35 - 36 ▶ PP打包帶製造機
PP STRAP MAKING MACHINE

- ▶ 異型材三機共擠押出機
3-IN ONE CO-EXTRUSION PROFILE EXTRUDER
- ▶ 異型材押出機
PROFILE EXTRUDER
- ▶ PVC雙螺桿管材押出系統
PVC TWIN SCREW EXTRUDER FOR PIPE
- ▶ PP中空型材押出系統
PP HOLLOW PROFILE EXTRUDING SYSTEM

37 - 38 ▶ 選購配備
OPTIONAL EQUIPMENT

PVC雙螺桿 自動計量秤重輸送生產製粒系統

**PVC TWIN SCREW AUTOMATIC METERING WEIGHING AND
CONVEYING PELLETIZING COMPOUNDING LINE**


CK-130DT

APPLICABLE MATERIAL:

UPVC, CPVC, medical grade, soft, rigid, foam and wood powder additive.

適用原料：

UPVC, CPVC, 醫療級、軟質、硬質、發泡及木粉添加。



機型	Model		CK-55DT	CK-75DT	CK-95DT	CK-110DT	CK-130DT	
螺桿直徑	Screw diameter	mm	55	75	95	108	132	
長徑比	L/D ratio		22-30	22-30	22-30	22-30	22-30	
馬力	Main motor	kw	11	30	55	90	110	
產量	Output	軟質(Soft)	kg/hr	PVC: 30-60	PVC: 100-200	PVC: 200-400	PVC: 400-650	PVC: 600-1000
		硬質(Rigid)		PVC: 45-90	PVC: 150-250	PVC: 250-550	PVC: 450-750	PVC: 800-1200

* 產能依不同原料配方而定。

* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials.

* All specifications, design and characteristics shown above are subject to change without prior notice.

PVC雙螺桿製粒系統

PVC TWIN SCREW PELLETIZING COMPOUNDING SYSTEM

APPLICABLE MATERIAL:

UPVC, CPVC, medical grade, soft, rigid, foam and wood powder additive.

適用原料：

UPVC, CPVC, 醫療級、軟質、硬質、發泡及木粉添加。

CK-95DT



CK-130DT

機型	Model		CK-55DT	CK-75DT	CK-95DT	CK-110DT	CK-130DT
螺桿直徑	Screw diameter	mm	55	75	95	108	132
長徑比	L/D ratio		22-30	22-30	22-30	22-30	22-30
馬力	Main motor	kw	11	30	55	90	110
產量	Output	軟質 (Soft)	PVC: 30-60	PVC: 100-200	PVC: 200-400	PVC: 400-650	PVC: 600-1000
		硬質 (Rigid)	PVC: 45-90	PVC: 150-250	PVC: 250-550	PVC: 450-750	PVC: 800-1200

* 產能依不同原料配方而定。

* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials.

* All specifications, design and characteristics shown above are subject to change without prior notice.

醫療級 PVC 製粒系統

MEDICAL PVC COMPOUNDING SYSTEM

CK-55DT

APPLICABLE MATERIAL:
Medical PVC material compounding.

適用原料：
醫療級PVC系列原料生產。



機型	Model		CK-55DT	CK-75DT	CK-95DT	CK-110DT	CK-130DT
螺桿直徑	Screw diameter	mm	55	75	95	108	132
長徑比	L/D ratio		22-30	22-30	22-30	22-30	22-30
馬力	Main motor	kw	11	30	55	90	110
產量	Output	軟質(Soft)	PVC: 30-60	PVC: 100-200	PVC: 200-400	PVC: 400-650	PVC: 600-1000
		硬質(Rigid)	PVC: 45-90	PVC: 150-250	PVC: 250-550	PVC: 450-750	PVC: 800-1200

* 產能依不同原料配方而定。

* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials.

* All specifications, design and characteristics shown above are subject to change without prior notice.

塑料清洗回收生產設備

RECYCLING & WASHING LINE

APPLICABLE MATERIAL:

PP, HDPE, LDPE, ABS, PS crushed film and flake.
PP jumbo bag, PP woven bag, EPE, EPP, EPS recycling.

適用原料：

PP, HDPE, LDPE, ABS, PS粉碎薄膜、碎片、
PP太空包袋、PP編織袋、EPE, EPP, EPS廢料回收。



機型	Model		CK-SFD100	CK-SFD120	CK-SFD135	CK-SFD150
螺桿直徑	Screw diameter	mm	100	120	135	150
長徑比	L/D ratio		32-36	32-36	32-36	32-36
馬力	Main motor	kw	75	110	132	160
產量	Output	kg/hr	200-250	250-350	350-450	400-600

* 產能依不同原料配方而定(以PE薄膜回收為產量數據基礎)。

* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on PE film recycling.

* All specifications, design and characteristics shown above are subject to change without prior notice.

雙段式回收製粒機

DOUBLE SECTION RECYCLING PELLETIZING EXTRUDER

CK-HSD120

APPLICABLE MATERIAL:

PP, PE, ABS, PS, POM, PC, PA, PMMA, PBT, PET...etc.

適用原料：

PP, PE, ABS, PS, POM, PC, PA, PMMA, PBT, PET...等。

機型	Model		CK-HSD85	CK-HSD100	CK-HSD120	CK-HSD135	CK-HSD150
螺桿直徑	Screw diameter	mm	85	100	120	135	150
長徑比	L/D ratio		34-36	34-36	34-36	34-36	34-36
馬力	Main motor	kw	75	110	132	160	200
產量	Output	kg/hr	150-250	250-350	300-500	400-650	500-800

* 產能依不同原料配方而定(以ABS廢料回收為產量數據基礎)。

* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on ABS recycling.

* All specifications, design and characteristics shown above are subject to change without prior notice.



側擠壓回收製粒系統


SIDE FORCE FEEDER TYPE RECYCLING PELLETIZING SYSTEM

APPLICABLE MATERIAL:

PP, HDPE, LDPE, ABS, PS crushed film, flake and EPE, EPP, EPS recycling.


適用原料:

PP, HDPE, LDPE, ABS, PS粉碎薄膜、碎片
EPE, EPP, EPS廢料回收。



CK-SF100

CK-SFD120



CK-SFD150

機型	Model		CK-SF100	CK-SF120	CK-SF135	CK-SF150
螺桿直徑	Screw diameter	mm	100	120	135	150
長徑比	L/D ratio		32-36	32-36	32-36	32-36
馬力	Main motor	kw	75	110	132	160
產量	Output	kg/hr	200-300	250-500	350-600	400-800

* 產能依不同原料配方而定(以PE薄膜回收為產量數據基礎)。

* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on PE film recycling.

* All specifications, design and characteristics shown above are subject to change without prior notice.

側粉碎回收製粒系統

SIDE SHREDDING TYPE RECYCLING PELLETIZING SYSTEM

CK-SC120

APPLICABLE MATERIAL:

PP, HDPE, LDPE, PET, PC blower film recycling.
EPE, EPP, EPS, Nylon fiber and PP carpet recycling.

適用原料：

PP, HDPE, LDPE, PET, PC薄膜料回收。
EPE, EPP, EPS回收、尼龍廢紗、PP地毯回收。



機型	Model		CK-SC100	CK-SC120	CK-SC135	CK-SC150
螺桿直徑	Screw diameter	mm	100	120	135	150
長徑比	L/D ratio		32-36	32-36	32-36	32-36
馬力	Main motor	kw	90	110	132	160
產量	Output	kg/hr	250-350	400-500	450-650	500-800

* 產能依不同原料配方而定(以PE薄膜回收為產量數據基礎)。
* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on PE film recycling.
* All specifications, design and characteristics shown above are subject to change without prior notice.

同向雙螺桿拉條切粒製粒系統

CO-ROTATING TWIN SCREW STRAND CUTTING TYPE PELLETIZING COMPOUNDING LINE

APPLICABLE MATERIAL:

Composite material, glass fiber additive, wood powder additive, such as PC, PE, PS, ABS, Nylon, LCP, PPS...etc.

適用原料：

直接化學反應押出各種複合材料、玻璃纖維添加、木粉添加...等造粒，如PC, PE, PS, ABS, Nylon, LCP, PPS...等。



CK-80HT



CK-70HT

CK-58HT

機型	Model		CK-32HT	CK-42HT	CK-58HT	CK-70HT	CK-80HT	CK-92HT
螺桿直徑	Screw diameter	mm	32	42	58	71	80	92
長徑比	L/D ratio		36-46	36-48	36-48	36-48	36-48	36-48
馬力	Main motor	kw	18	55	132	200	250	450
產量	Output	kg/hr	20-80	50-180	150-450	250-700	350-950	500-1500

* 產能依不同原料配方而定(以ABS原料為產量數據基礎)。
* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on ABS.
* All specifications, design and characteristics shown above are subject to change without prior notice.

同向雙螺桿水中切粒製粒系統

CO-ROTATING TWIN SCREW UNDERWATER CUTTING TYPE PELLETIZING COMPOUNDING SYSTEM

CK-70HT

APPLICABLE MATERIAL:

TPU, TPE, TPV, TPR, PP, PS, PLA, PVA, SEBS, EVA, rubber hot-melt adhesive, special resin, micro pellet...etc.

適用原料：

TPU, TPE, TPV, TPR, PP, PS, PLA, PVA, SEBS, EVA, 橡膠、熱熔膠、特殊樹脂、微粒造粒。

機型	Model		CK-32HT	CK-42HT	CK-58HT	CK-70HT	CK-80HT	CK-92HT
螺桿直徑	Screw diameter	mm	32	42	58	71	80	92
長徑比	L/D ratio		41	44	48	48	48	48
馬力	Main motor	kw	18	55	132	200	250	450
產量	Output	kg/hr	20-80	60-150	150-300	250-500	350-600	500-850

* 產能依不同原料配方而定(以TPU原料為產量數據基礎)。
* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on TPU.
* All specifications, design and characteristics shown above are subject to change without prior notice.



同向雙螺桿 自動計量秤重輸送生產製粒系統

CO-ROTATING TWIN SCREW AUTOMATIC METERING WEIGHING AND CONVEYING PELLETIZING COMPOUNDING LINE

CK-80HT

APPLICABLE MATERIAL:

High percentage filler compounds with plastic material as CaCO₃, TiO₂, Talc, pigment...etc.

適用原料：

高填充複合材料，如：碳酸鈣、鈦白粉、滑石粉、色粉...等。



機型	Model		CK-32HT	CK-42HT	CK-58HT	CK-70HT	CK-80HT	CK-92HT
螺桿直徑	Screw diameter	mm	32	42	58	71	80	92
長徑比	L/D ratio		36-46	36-48	36-48	36-48	36-48	36-48
馬力	Main motor	kw	18	55	132	200	250	450
產量	Output	kg/hr	20-80	50-180	150-450	250-700	350-950	500-1500

* 產能依不同原料配方而定(以ABS原料為產量數據基礎)。
* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on ABS.
* All specifications, design and characteristics shown above are subject to change without prior notice.

HS系列 單螺桿製粒機

HS SERIES SINGLE SCREW PELLETIZING EXTRUDER

APPLICABLE MATERIAL:

Various materials compounding and recycling as PP, HDPE, LDPE, PS, ABS, ABS & PC, PC, PA, PET, PBT...etc.

適用原料：

各式塑膠原料之複合改質製粒、染色製粒、與回收再生製粒。如PP, HDPE, LDPE, PS, ABS, ABS & PC, PC, PA, PET, PBT...等。

CK-HS135



CK-HS100



機型	Model		CK-HS85	CK-HS100	CK-HS120	CK-HS135
螺桿直徑	Screw diameter	mm	85	100	120	135
長徑比	L/D ratio		32-36	32-36	32-36	32-36
馬力	Main motor	kw	75	110	160	200
產量	Output	kg/hr	200-300	300-450	500-750	700-1000

* 產能依不同原料配方而定(以ABS原料為產量數據基礎)。
* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on ABS.
* All specifications, design and characteristics shown above are subject to change without prior notice.

DHS系列 高產能單螺桿製粒機

DHS SERIES HIGH OUTPUT SINGLE SCREW PELLETIZING COMPOUNDING EXTRUDER

CK-DHS100

APPLICABLE MATERIAL:
ABS, HIPS, PP, PE, PC/ABS, PC, PMMA.

適用原料：
ABS, HIPS, PP, PE, PC/ABS, PC, PMMA.



機型	Model		CK-DHS85	CK-DHS100
螺桿直徑	Screw diameter	mm	85	100
馬力	Main motor	kw	110	200
產量	Output	kg/hr	350-600	500-950

* 產能依不同原料配方而定(以ABS原料為產量數據基礎)。
* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on ABS.
* All specifications, design and characteristics shown above are subject to change without prior notice.

單螺桿水中切粒製粒系統

SINGLE SCREW UNDERWATER CUTTING TYPE PELLETIZING COMPOUNDING LINE


CK-S100

APPLICABLE MATERIAL:

TPU, TPE, TPV, TPR, PP, PS, PLA, PVA, SEBS, EVA, rubber hot-melt adhesive, special resin, micro pellet...etc.

適用原料：

TPU, TPE, TPV, TPR, PP, PS, PLA, PVA, SEBS, EVA, 橡膠、熱熔膠、特殊樹脂、微粒造粒。



機型	Model		CK-S85	CK-S100	CK-S120
螺桿直徑	Screw diameter	mm	85	100	120
長徑比	L/D ratio		34-36	34-36	34-36
馬力	Main motor	kw	75	110	132
產量	Output	kg/hr	70-150	150-300	250-500

* 產能依不同原料配方而定(以TPU原料為產量數據基礎)。
 * 本公司保有變更設計之權力，不另行通知。
 * Output depends on different materials and data above is based on TPU.
 * All specifications, design and characteristics shown above are subject to change without prior notice.

實驗用多功能同向雙螺桿製粒系統

MULTI-FUNCTION LABORATORY CO-ROTATING TWIN SCREW PELLETIZING COMPOUNDING SYSTEM

CK-32HT

APPLICABLE MATERIAL:

Various filler compounds with plastic material as CaCO₃, TiO₂, Talc, pigment...etc.

適用原料：

各種複合材料，如：碳酸鈣、鈦白粉、滑石粉、色粉...等。

機型	Model		CK-32HT	CK-42HT
螺桿直徑	Screw diameter	mm	32	42
長徑比	L/D ratio		36-46	36-48
馬力	Main motor	kw	18	55
產量	Output	kg/hr	20-80	50-180

* 產能依不同原料配方而定(以ABS原料為產量數據基礎)。

* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on ABS.

* All specifications, design and characteristics shown above are subject to change without prior notice.



拉條切 / 水中切 / 模頭切
Strand cutting / Underwater cutting / Die face cutting

實驗室用同向雙螺桿製粒系統

LABORATORY CO-ROTATING TWIN SCREW PELLETIZING COMPOUNDING SYSTEM

CK-42HT

水中切粒


Underwater cutting type

APPLICABLE MATERIAL:

TPU, TPE, TPV, TPR, PP, PS, PLA, PVA, SEBS, EVA, rubber hot-melt adhesive, special resin, micro pellet...etc.

適用原料：

TPU, TPE, TPV, TPR, PP, PS, PLA, PVA, SEBS, EVA, 橡膠、熱熔膠、特殊樹脂、微粒造粒。



機型	Model		CK-32HT	CK-42HT	CK-58HT	CK-70HT	CK-80HT
螺桿直徑	Screw diameter	mm	32	42	58	71	80
長徑比	L/D ratio		41	44	48	48	48
馬力	Main motor	kw	18	55	132	200	250
產量	Output	kg/hr	20-80	60-150	150-300	250-500	350-600

* 產能依不同原料配方而定(以TPU原料為產量數據基礎)。
* 本公司保有變更設計之權力，不另行通知。

* Output depends on different materials and data above is based on TPU.
* All specifications, design and characteristics shown above are subject to change without prior notice.

PP打包帶製造機

PP STRAP MAKING MACHINE


CK-PS65



異型材三機共擠押出機

3-IN ONE CO-EXTRUSION PROFILE EXTRUDER

CK-75DTP



異型材押出機

PROFILE EXTRUDER

CK-PS65



PVC雙螺桿管材押出系統

PVC TWIN SCREW EXTRUDER FOR PIPE


CK-75DTP



PP中空型材押出系統

PP HOLLOW PROFILE EXTRUDING SYSTEM

CK-PS100



選購配備

OPTIONAL EQUIPMENT



切粒機
PELLETIZER
7.5HP / 10HP / 15 HP



切粒機 3HP + 震動篩選機
PELLETIZER AND
VIBRATING SCREENING
UNIT



切粒機
PELLETIZER
30HP



切粒機 (全不鏽鋼機體)
PELLETIZER (FULLY
STAINLESS STEEL FRAME)



切粒機圓刀
ROTARY KNIFE FOR
PELLETIZER



震動冷卻機
VIBRATING COOLER



直立式混合機
VERTICAL MIXER



臥式攪拌機
HORIZONTAL BLENDER



除濕機
DEWATERING UNIT



脫水機
DEWATERING UNIT



粉碎機
POWERFUL CRUSHER



震動篩選機
VIBRATING SCREENING UNIT



側進料
SIDE FEEDER




立式乾燥混合機
VERTICAL DRY MIXER



擠乾機
SQUEEZE DRYER



紅外線連續式滾筒乾燥機
HORIZONTAL ULTRARED
CONTINUAL
ROTATING TANK DRYER



四機一體供料混合系統
4 IN ONE FEEDING &
MIXING SYSTEM



定量秤重包裝系統
WEIGHING &
PACKAGING SYSTEM



二機一體供料系統
2 IN ONE FEEDING
SYSTEM



減重式連續供料機
LOSS-IN-WEIGHT
FEEDER



側進料雙螺桿計量單元
SIDE FEEDER TWIN
SCREW METERING UNIT